



POLICY AND PROCEDURE MANUAL

Policy Title: Substance Abuse Withdrawal and Intoxication Management	Policy Number: I.15
Primary Department: Medical Management	NCQA Standard: N/A
Affiliated Department(s): N/A	URAC Standard: N/A
Last Revision Date: 03/09/2018	Next Review Date: 03/31/2019
Revision Dates: 09/12/2014; 02/09/2015; 01/08/2016; 03/21/2017; 03/09/2018	Review Dates: 10/24/2014; 02/17/2015; 03/25/2016; 03/31/2017; 03/28/2018
Effective Date: 09/2014	
Applicable Lines of Business: <input checked="" type="checkbox"/> MeridianCare <input checked="" type="checkbox"/> MeridianHealth <input checked="" type="checkbox"/> MeridianComplete <input checked="" type="checkbox"/> MeridianChoice	
Applicable States: <input type="checkbox"/> All <input checked="" type="checkbox"/> MI <input checked="" type="checkbox"/> IL <input checked="" type="checkbox"/> OH <input type="checkbox"/> _____ <input type="checkbox"/> _____	
Applicable Programs: <input checked="" type="checkbox"/> All <input type="checkbox"/> Other _____	
Policy is to be published: Internally Only <input type="checkbox"/> Internally & Externally <input checked="" type="checkbox"/>	

Definitions:

Detoxification	The process of withdrawing a person from a psychoactive substance in a safe and effective manner. These terms has been replaced by “Withdrawal Management” in the Third Edition of the ASAM Criteria. The detoxification process consists of the following essential and sequential elements. 1.) Evaluation, 2.) Stabilization and 3.) Fostering patient readiness for and entry into treatment.
Inter Qual	Meridian Health plan employs McKesson’s InterQual Behavioral Health Substance Use Disorders 2016.3 2018 clinical level of care criteria set to support utilization management decision making in the treatment of Substance Use and Dually Diagnosed adolescents and adults.
ASAM Criteria	ASAM (American Society for Addiction Management) Criteria: Treatment Criteria for Addictive, Substance-Related, and Co-Occurring Conditions. The ASAM Criteria structure multidimensional assessment around six dimensions to provide a common language of holistic, biopsychosocial assessment and treatment across addiction treatment, physical health and mental health services, which addresses spiritual issues relevant to recovery, The six dimensions are: <ol style="list-style-type: none"> 1. Acute Intoxication and Withdrawal Potential 2. Biomedical Conditions and Complications 3. Emotional, Behavioral, or Cognitive Conditions and Complications 4. Readiness to Change 5. Relapse, Continued Use, or Continued Problem Potential 6. Recovery/Living Environment
ASAM Level of Care Placement	The application of assessment information gained from the six ASAM dimensions to each level of care, incorporating the following service characteristics (in addition to Diagnostic and Dimensional Admission Criteria):

	1. Service Delivery and Settings 2. Support Systems 3. Staff 4. Therapies 5. Assessment/Treatment Plan Review 6. Documentation
ASAM Criteria: Withdrawal Management Service Intensity	The match between a member's severity of illness in Dimension 1 with five intensities of withdrawal management service: Level 1-WM: Ambulatory WM without Extended On-Site Monitoring Level 2 WM: Ambulatory WM with Extended On-Site Monitoring Level 3-WM: Residential/Inpatient Withdrawal Management Level 3.2-WM: Clinically Managed Residential Withdrawal Management Level 3.7-WM: Medically Monitored Inpatient Withdrawal Management Level 4-WM: Medically Managed Intensive Inpatient Withdrawal Management
Ambulatory Withdrawal Management	WM that is medically monitored and managed but that does not require admission to an inpatient medically or clinically monitored or managed 24-hour treatment setting.
Medically Managed Treatment	Services that involve daily medical care, where diagnostic and treatment services are directly provided or managed by an appropriately trained and licensed physician. Services are provided in an acute care hospital, psychiatric hospital, or treatment unit.
Medically Monitored Treatment	Services are provided by an interdisciplinary staff of nurses, counselors, social workers, addiction specialists, other health care and technical personnel, under the direction of a licensed physician. Medical monitoring is provided through a mix of direct patient contact, records review, team meetings, 24 hour coverage by a physician and quality assurance programs.
Intoxication	A clinical state marked by dysfunctional changes in physiological functioning, psychological functioning, mood state, cognitive process, or all of these, as a consequence of consumption of a psychoactive substance. A person who appears to be intoxicated in a public place and who may be a danger to himself or others may be assisted to his home, a treatment facility, or other health facility, either directly by police or through an intermediary person.
Intoxication Management	Those services required for ASAM Dimension 1 (Acute Intoxication and/or Withdrawal Potential) where patient's level of intoxication is assessed and treated. Examples include: preventing drunk-driving by holding car keys, or managing acute alcohol poisoning. The individual may or may not proceed to a full withdrawal syndrome.
CIWA-Ar Scale	Clinical Institute Withdrawal Assessment for Alcohol, Revised: Alcohol Withdrawal instrument with utility in supporting decision making while tracking the withdrawal management process. Not to be used as a stand-alone determinant for level of care decisions, as delirium or other medical disorders may falsely elevate the CIWA score. Not a copyrighted instrument.
CINA Scale	Clinical Institute Narcotic Assessment Scale for Withdrawal Symptoms: provides measurement of 11 signs/symptoms of narcotic withdrawal to help gauge the severity of symptoms and monitor change over time. Not for stand-alone use in level of care decisions.

Policy:

Drug and Alcohol withdrawal management may, in some circumstances, be managed effectively in either ambulatory or non-ambulatory Inpatient/Residential settings, and must involve service engagement which addresses the accompanying addiction process and provide the opportunity to initiate a sustained recovery, with coordination equivalent to an integrated Sub-Acute Recovery program. The American Society of Addiction Medicine (2013) has adopted the terminology "Withdrawal Management" to include not only the attenuation of physiological and psychological withdrawal, but to establish initial addiction treatment engagement and induction.

Procedure:

Criteria for Coverage:

MHP will authorize Drug and Alcohol Withdrawal Management services in accordance with ASAM Treatment and Level of Care Placement Criteria, current InterQual criteria, SAMHSA supported Best Practice, Medicare, and applicable State Medicaid coverage Requirements.

The following substances require medical withdrawal management when used in sufficient quantities for a sufficient period of time due to their potential to induce dangerous physiological sequelae when discontinued in dependent individuals:

- Alcohol
- Opioids
- Sedatives
- Hypnotics
- Anxiolytics

The following substances do not require medical withdrawal management, but may require supportive medical care due to the direct effects of intoxication:

Amphetamines or sympathomimetic amines,

- Cannabis
- Cocaine
- Hallucinogens
- Inhalants
- Nicotine
- Phencyclidine.

Withdrawal Management settings are classified in the ASAM Criteria as:

- I. Non-ambulatory (ASAM Levels 3-4), to include: Intensive Inpatient, Medically Monitored Inpatient and Clinically Managed Residential Withdrawal Management, and
- II. Ambulatory (ASAM Levels 1-2), to include Ambulatory Withdrawal Management With or Without Extended On-Site Monitoring.

The treatment setting for Withdrawal Management will be determined by substance(s) used and the most acute individual physiological or psychiatric risk rating as defined by InterQual, ASAM, Medical Necessity, and defined Medicare and Medicaid, or contract coverage rules. Members presenting at moderate-to-severe risk of withdrawal for which treatment level assignment is indeterminate due to not meeting Level 3.7 or Level 4.0 Management or InterQual Inpatient Detoxification criteria, may require initial Observation. When the identified setting level of care is not available, the next higher available LOC is authorized.

A. Medically Managed Intensive Inpatient Withdrawal Management: (Inpatient Detoxification)(ASAM Level 4-WM) Inpatient hospital detoxification services **are covered** during the more acute stages of alcoholism or alcohol withdrawal, drug abuse or chemical abuse withdrawal. When the high probability or occurrence of medical complications (e.g., delirium, confusion, trauma, or unconsciousness) during detoxification for acute alcoholism or alcohol withdrawal necessitates the constant availability of physicians and/or complex medical equipment found only in the full hospital setting with access to Intensive Care as needed, inpatient hospital care during this period is considered reasonable and necessary.

Treatment unit sites include medical units, Detox units or General Psychiatry units (if inpatient Substance Use Disorders criteria are met) within General Hospital facilities.

InterQual 2017 Observation criteria for Detoxification may be applied to authorization requests for members meeting Observation criteria per Medical Management policy B.02 for Medical unit observation authorization.

InterQual 2017 Inpatient Substance Abuse criteria must be met for initiation or continued stay authorization of ASAM 4.0 Withdrawal Management on an inpatient psychiatric or Dual Diagnosis unit due to co-occurring dangerousness or Serious Mental Illness.

- a. Admission Criteria: Admission to the acute care hospital setting for a diagnosis of substance abuse must meet at least one of the following criteria as reflected in the physician's orders and patient care plan:
 - i. Vital signs, extreme and unstable
 - ii. Uncontrolled hypertension, extreme and unstable

- iii. Delirium tremens, (e.g., confusion, hallucinations, seizures) or a documented history of delirium tremens requiring treatment
- iv. Convulsions or multiple convulsions within the last 72 hours
- v. Unconsciousness
- vi. Occurrence of substance abuse with pregnancy and monitoring the fetus is vital to the continued health of the fetus
- vii. Insulin-dependent diabetes complicated by diabetic ketoacidosis
- viii. Suspected diagnosis of closed head injury based on trauma injury
- ix. Congestive heart disease, ischemic heart disease, or significant arrhythmia as examples of active symptomatic heart disease
- x. Suicidal ideation and gestures necessitating suicidal precautions as part of treatment
- xi. Blood alcohol level 350 mg/dl with a diagnosis of alcohol abuse
- xii. Blood alcohol level 400 mg/dl with diagnosis of alcohol dependence
- xiii. Active presentation of psychotic symptoms reflecting an emergent/urgent condition
- b. Treatment Setting: Acute General or Psychiatric Hospital Inpatient Unit providing 24/7 Skilled nursing and daily medical evaluation and management.
- c. Assessment and Treatment Plan: elements of the assessment and treatment plan must include:
 - i. A comprehensive nursing assessment performed at admission
 - ii. Approval of the admission by a physician.
 - iii. A comprehensive history and physical exam performed within 12 hours of admission, accompanied by appropriate laboratory and toxicology tests.
 - iv. Addiction-focused history obtained as part of the assessment and reviewed by a physician during the admission process.
 - v. Biopsychosocial screening assessments to determine placement and for an individualized care plan
 - vi. Discharge or transfer planning, beginning at admission.
 - vii. Referral arrangements.
 - viii. An individualized treatment plan that includes problem identification in all 6 dimensions and development of treatment goals and measureable treatment objectives/activates designed to meet those objectives.
 - ix. Daily assessment of progress through withdrawal management and any treatment changes
- d. Therapies:
 - i. A range of cognitive, behavioral, medical, mental health and other therapies. Psychiatric or biomedical interventions to complement addiction treatment as necessary.
 - ii. Health Education Services
 - iii. Services to families and significant others.
- e. Discharge Criteria: Signs and symptoms are sufficiently resolved for safe management in a less intensive environment

B. Medically Monitored Inpatient Withdrawal Management ASAM Level 3.7-WM.

Treatment unit sites may include freestanding Detox units within Substance Use treatment facilities or freestanding psychiatric inpatient hospitals for Dual Diagnosis members meeting InterQual 2017 SUD inpatient criteria.

- a. Admission Criteria: presence of multiple risk factors
 - i. Past history of seizures or delirium tremens
 - ii. Frequent sleep disturbance or nightmares during the previous week
 - iii. Sweating, tremor or pulse >100 while BAL is >.10mg%
 - iv. Significant anxiety and mod-severe tremor and may be withdrawing from substances other than alcohol (association with a CIWA-Ar score = or > 19) but fully coherent
 - v. Moderate anxiety, sweating, insomnia and mild tremor (association with CIWA-Ar = or >19,) withdrawing from alcohol only, and fully coherent.
 - vi. Opiate withdrawal symptoms with mild-mod fever and/or moderate blood pressure elevation
 - vii. Moderate to severe co-occurring psychiatric symptoms

- viii. Moderate to severe medical problems with potential to destabilize.
- ix. Ambivalent commitment to withdrawal process or questionable ability to reliably cooperate.
- x. Absence of family or social support system, safe housing and transportation assistance
- b. Treatment Setting: Freestanding Withdrawal Management Center or Program
 - i. Availability of specialized clinical consultation and supervision for biomedical, emotional, behavioral and cognitive problems
 - ii. Availability of medical nursing care and observation as warranted.
 - iii. Direct affiliation with other levels of Substance Abuse/Addiction care.
 - iv. Ability to conduct or arrange for necessary laboratory and toxicology tests.
- c. Assessment and Treatment Plan: As in A.3 Above, and:
 - i. Availability of physician to assess patient no more than 24 hours after admission and availability to provide 24 hour monitoring when needed, as well as daily evaluation.
 - ii. RN-conducted nursing assessment on admission.
 - iii. Daily assessment of patient progress and any treatment changes
- d. Therapies:
 - i. A range of cognitive, behavioral, medical, mental health and other therapies. Psychiatric or biomedical interventions to complement addiction treatment as necessary
 - ii. Multidisciplinary individualized assessment and treatment
 - iii. Health Education Services
 - iv. Services to families and significant others
- e. Discharge Criteria:
 - i. Signs and symptoms are sufficiently resolved for safe management in a less intensive environment or,
 - ii. Intensified symptoms and increased CIWA-Ar score (or comparable) indicate need for transfer to a Level 4-WM setting

C. Clinically Managed Residential Withdrawal Management ASAM Level 3.2-WM

- a. Admission Criteria: One or more of the B.1. Criteria above.
- b. Treatment Setting: Clinically Managed Services are directed by non-physician addiction specialists, rather than physician and nursing personnel. Social Setting Service providing 24 hour supervision, observation and support for patients *who are intoxicated* or experiencing withdrawal.
 - i. Established clinical protocols to identify patients in needs of medical services beyond the capacity of the treating facility with transfer to more appropriate levels of care, developed by a physician qualified in Addiction Medicine
 - ii. Staffed by credentialed Chemical Dependency personnel with 24/7 physician access for evaluation and consultation.
 - iii. Facilities supervising self-administered medication have licensed/credentialed staff with policies and procedures in compliance with federal law.
 - iv. Direct affiliation with other levels of Substance Abuse/Addiction care.
 - v. Ability to conduct or arrange for necessary laboratory and toxicology tests.
- c. Assessment and Treatment Plan: Refer to B.3 Above
- d. Therapies:
 - i. A range of cognitive, behavioral, medical, mental health and other therapies. Psychiatric or biomedical interventions to complement addiction treatment as necessary.
 - ii. Interdisciplinary individualized assessment and treatment.
 - iii. Health Education Services
 - iv. Services to families and significant others.
 - v. Discharge or transfer planning
- e. Discharge Criteria:
 - i. Signs and symptoms have resolved sufficiently to allow safe transfer to a less intensive level of care.

- ii. Failure to respond to treatment or intensification of symptoms (confirmed by CIW-Ar or comparable score) to indicate need for transfer to a higher level of care
- iii. Member is unable to complete withdrawal management despite an adequate trial.

D. Ambulatory Withdrawal Management with Extended On-Site Monitoring ASAM Level 2-WM

- a. Admission Criteria:
 - i. Alcohol or Sedatives/Hypnotics
 - ii. Moderate anxiety, sweating, tremor and insomnia (association with CIWA-Ar 10-18 or comparable) AND withdrawing from only alcohol or sedatives/hypnotics (not multiple substances), AND one or more:
 - iii. Absence of significant medical problems, or stable status.
 - iv. Risk of severe physiological or psychological symptoms outside program hours is assessed to be minimal.
 - v. Mild or stable co-occurring psychiatric disorders.
 - vi. Capacity for reliable cooperation.
 - vii. Capable support system or independence in managing safe transportation and housing.
 - viii. Multiple substances:
 - 1. Ingestion of sedatives/hypnotics at no more than therapeutic levels daily for at least 6 months, in combination with daily alcohol or regular use of another mind-altering drug known to have a dangerous withdrawal syndrome.
 - 2. Risks of seizures, hallucinations, dissociation or severe affective symptoms outside the program are deemed to be minimal.
 - ix. Opiates: abstinence syndrome can be stabilized by the end of each day's monitoring or extended monitoring is required to titrate appropriate dosage of opiate agonist medication.
- b. Treatment Setting: Partial Hospital: Mental Health or Addiction Treatment program
 - i. Staffed by medical nursing professionals who provide evaluation, withdrawal management and referral services.
 - ii. Ability to obtain a comprehensive medical history and physical examination at admission.
 - iii. Ability to conduct or arrange for necessary laboratory and toxicology tests.
 - iv. Availability of specialized clinical consultation and supervision for biomedical, emotional, behavioral and cognitive problems.
 - v. Access to psychological and psychiatric consultation.
 - vi. Affiliation with other levels of care.
 - vii. 24-hour access to emergency consultation services.
 - viii. Ability to provide or access safe transportation services as needed.

E. Assessment and Treatment Plan:

- i. Addiction-focused history obtained in the initial assessment and reviewed by a physician during the admission process.
- ii. Physical examination by a physician, PA or NP as part of the initial assessment.
- iii. Biopsychosocial screening assessments
- iv. Individualized treatment plan, addressing ASAM dimensions 2-6.
- v. Daily assessment of progress.
- vi. Discharge/transfer planning from the day of admission.
- vii. Serial medical assessments, using appropriate measures of withdrawal.
- b. Therapies:
 - i. A range of cognitive, behavioral, medical, mental health and other therapies. Psychiatric or biomedical interventions to complement addiction treatment as necessary.
 - ii. Interdisciplinary individualized assessment and treatment.
 - iii. Health Education Services
 - iv. Services to families and significant others.
 - v. Discharge or transfer planning, including referrals to counseling and community recovery support groups.

- c. Discharge Criteria:
 - i. Signs and symptoms have resolved sufficiently to allow safe transfer to a less intensive level of care.
 - ii. Failure to respond to treatment or intensification of symptoms (confirmed by CIW-Ar or comparable score) to indicate need for transfer to a higher level of care
 - iii. Member is unable to complete withdrawal management despite an adequate trial.

F. Ambulatory Withdrawal Management without Extended On-Site Monitoring ASAM Level 1-WM

- a. Admission Criteria:
 - i. Alcohol: Mild to moderate symptoms of withdrawal, CIWA-Ar ,10 or equivalent
 - ii. Sedatives/Hypnotics: Reliable history of withdrawal from therapeutic levels of sedatives/hypnotics
 1. No evidence of other alcohol or drug dependence.
 2. Symptoms are likely to respond to substitute doses in the therapeutic range within 2 hours.
 - iii. Opioids:
 1. WD without use of opioid agonists: patient's use has not been daily for more than 2 weeks or use is near the therapeutically recommended level.
 2. WD with use of opioid agonists: mild withdrawal symptoms or plan for gradual withdrawal
- b. Treatment Setting: Office: Refer to D.2.
- c. Assessment and Treatment Plan: Refer to D.3.
- d. Therapies: Refer to D.4.
- e. Discharge Criteria: Refer to D.4.

Non-covered Services:

Withdrawal Management or Detoxification services which are not-covered include, but are not limited to the following:

- Services available without charge
- Services prohibited by state or federal law
- Experimental procedures
- Research-oriented procedures
- Medical care provided by mail or telephone
- Unkept appointments
- Services provided by termed or barred providers
- Preparation of routine records, forms and reports
- Visits with persons other than a patient
- Items or services for which medical necessity is not clearly established
- Acute inpatient detoxification for the main purpose of removing the member from his/her environment to prevent access to alcohol and/or substance abuse
- Methadone maintenance
- Court-ordered substance abuse testing unless medically necessary
- Electrical Aversion therapy
- Meals, transportation and recreational/social activities for outpatient hospital services.
- Admissions sought or used as an alternative to incarceration.
- Admissions with primary social, physical health, housing or economic problems that do not meet Medical Necessity requirements for a requested level of care.

Line of Business Applicability:

This policy applies to Michigan Medicaid, Illinois Medicaid, Individual plans, and Medicare plans.

For **Medicaid/Medicaid Expansion Plan** members, this policy will apply. Coverage is based on medical necessity criteria being met and the codes being submitted and considered for review being included on either the Michigan Medicaid Fee Schedule (located at: http://www.michigan.gov/mdch/0,1607,7-132-2945_42542_42543_42546_42551-159815--,00.html), the Illinois Medicaid Fee Schedule (located at: <http://www.illinois.gov/hfs/MedicalProviders/MedicaidReimbursement/Pages/default.aspx>). If there is a discrepancy between this policy and either the Michigan Medicaid Provider Manual (located at: http://www.michigan.gov/mdch/0,1607,7-132-2945_5100-87572--,00.html), the Illinois Medicaid Provider Manual (located at: <http://www.illinois.gov/hfs/MedicalProviders/Handbooks/Pages/default.aspx>) the applicable Medicaid Provider Manual will govern.

For **Medicare** members, coverage is determined by the Centers for Medicare and Medicaid Services (CMS Medicare Fee Schedules can be found on the CMS website (<https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/FeeScheduleGenInfo/index.html>)).

For **Individual** members, consult the individual insurance policy. If there is a discrepancy between this policy and the individual insurance policy document, the guidelines in the individual insurance policy will govern.

State specific special instructions:

None: ☐

ALL: Please See Appendix A

Adolescents: In situations where physiological withdrawal is present and withdrawal management necessary, Adolescent Withdrawal Management should be delivered in the same setting where they receive Adolescent Substance Abuse treatment care.

Pregnant Members: Pregnant members require 24/7 Medically Monitored or Medically Managed withdrawal management.

MI:

IL:

OH:

References:

1. Illinois DHFS. Handbook for Providers of Medical Services, Chapter 100. Sections 103.1 and 105. Version date, October 2009.
2. Michigan Department of Community Health. Medicaid Provider Manual. Behavioral Health and Intellectual and Developmental Disability Supports and Services. Version Date: January 1, 2018.
3. Illinois Compiled Statutes: 20 ILCS 301: Article 25 and Article 30.
4. Centers for Medicare and Medicaid Services, National Coverage Determination (NCD) for Outpatient Hospital Services for Treatment of Alcoholism (130.2).
5. Centers for Medicare and Medicaid Services: National Coverage Determination (NCD), Chapter 1, Part 2 Section 130: 130-.1 through 130.7
6. Centers for Medicare and Medicaid Services, National Coverage Determination (NCD) for Electrical Aversion Therapy for Treatment of Alcoholism (130.4)
7. Centers for Medicare and Medicaid Services, National Coverage Determination (NCD) for Multiple Electroconvulsive Therapies (MECT) (160.25).
8. Volpicelli, Joseph R., Teitelbaum, Scott A. (January 10, 2014). Medically supervised alcohol withdrawal in the ambulatory setting. Up-to-Date.
9. Weaver, Michael F., Hopper, John A. (February 4, 2014). Medically supervised opioid withdrawal during treatment for addiction. Up-To-Date.
10. Detoxification and Substance Abuse Treatment. Treatment Improvement Protocol (TIP) Series, No. 45. Center for Substance Abuse Treatment. Rockville (MD): Substance Abuse and Mental Health Services Administration (US); 10/2015.
11. American Society of Addiction Medicine, the ASAM Criteria: Treatment Criteria for Addictive, Substance-Related, and Co-Occurring Conditions: Carson City, NV: The Change Companies: 2013.
12. The Mihalik Group: Medical Necessity Manual for Behavioral Health, Version 8.0 December 13, 2013, pp. 178-179.
13. Sullivan, JT, Sykora, K., Schneiderman, J., Naranjo CA, Sellers EM. Assessment of Alcohol Withdrawal: The revised Clinical Institute Withdrawal Instrument and Alcohol Scale (CIWA-Ar). *Br J Addict.* 1989; 84(11):1353.1357.

14. SB 2840 Public Act 097-0689 Final Version-SMART Act.
15. McKesson Health Solutions, a division of McKesson Health Technologies, Inc. "InterQual Behavioral Health Criteria 2017~~6~~³: Substance Use Disorders and Dual Diagnosis, 2017~~6~~³.
16. HFS Provider Notice issued September 29, 2015.: Inpatient Detoxification readmissions – Crosswalk to ICD-10 Diagnosis Codes
17. Herron, Abigail J and Brennan, Timothy Koehler, The ASAM Essentials of Addiction Medicine 2nd Ed., Philadelphia, PA: Wolters Kluwer, 2015.

State Letters/ Bulletins			
CMS National/Local Coverage Determination (NCD/LCD)	NDCs130.1,130.2, 130.4, 130.5,130.6, 130.7, 160.25		
Medicare Managed Care Manual:			130.1,
Medicaid CFR:			21 CFR 291.505
State Administrative Codes:			Title 77 Part 2060.405, 413,20 ILCS 301/25-15, Part 2090 Rule 89 III.148.340-148.390, SB 2840 Public Act 097-0689 Final Version SMART ACT
Contract Requirements:		MMP MOU 5.d	MMAI 1.49, ICP 5.5.1.1, 5.27.1.3, FHP/ACA 5.6.1.1, 5.28.1.3,
Related Policies:			

Appendix A

Special Instructions Broken down by State and Line of Business

Plan	Inpatient/ Non-ambulatory	Ambulatory	Service Limits or Special Instructions	Prior Authorization
Medicare	Inpatient hospital detoxification services are covered in the full hospital setting with access to Intensive Care as needed, inpatient hospital care during this period is considered reasonable and necessary.	130.2No coverage for day treatment but individual services partial hospitalization services which meet requirements in Chapter 6 s20 may be covered. Transportation is not a covered service.	Outpatient detoxification is covered when Medicare coverage criteria are met. In most cases of substance abuse and/or alcohol toxicity, outpatient treatment is sufficient unless another medical condition requires close inpatient monitoring. Medicare Part B may cover Partial Hospitalization, but does not cover : Meals, transportation to or from mental health services, support groups, or testing or training for job skills that are not part of mental health treatment.	Pre-Service review and authorization of the medically necessary ASAM level of management. Physician justification required for IP Detox. >5 days
IL Medicaid	Covered as medically necessary	Subacute alcohol and SA services	PCP referral for nonemergency treatment Effective July 1, 2012 PA 097-0689, Medicaid does not pay for inpatient detox admissions of clients over the age of 21 admitted within 60 days of initial admission or in excess of 6 admissions per year. Primary detox codes for exclusion: <ul style="list-style-type: none"> Alcohol Detoxification: F10.10, F10.120, F10.121, F10.129, F10.20, F10.21, F10.220, F10.229 Drug Detoxification: F11.10, F11.120, F11.129, F11.21, F11.90, F12.10, F12.20, F12.21, F12.90, F13.10, F13.120, F13.20, F13.21, F13.90, F14.10, F14.120, F14.21, F14.90,F15.10, F15.20, F15.21, F15.90, F16.10, F16.21, F16.90,F18.10, F18.188, F18.20, F18.21, F19.10, F19.20, F19.21, F19.221, F19.90, F45.42, F.48.2, F50.00, 	WM-Levels 2-4 require PA: not authorized if less intensive program is appropriate and available. PCP referral required for non-emergency WM

			F.50.01, F50.02, F50.2, F50.8, F52.5, F54, F55.0, F55.1, F55.2, F55.3, F55.4, F55.8 • Misc: F07.81, F07.89, F07.9, F09, F55.8, F59, F98.21, F98.29, F98.3, G44.209 <u>Only covered services delivered to eligible Medicaid patients qualify for reimbursement under the Medicaid program.</u>	
MMAI	See Medicare and ICP Above	N/A	N/A	N/A
MI Medicaid	N/A	N/A	N/A	Substance Abuse services are carved out to Coordinating Agencies
Healthy MI	See MI Medicaid Above.	N/A	N/A	As Above
MI MMAI	N/A	N/A	Delegated Management to PIHP	N/A
Meridian Choice (Exchange)	N/A	N/A	All ASAM treatment settings for detoxification are covered with the exception of the following: • Residential treatment without medical monitoring • Non-licensed programs • Halfway houses • Assisted living • Institutional care • Non-skilled care	WM-Levels 2-4 require PA: not authorized if less intensive program is appropriate and available. PCP referral not required for WM-1 services

Appendix B

ICD-10-CM Mental Disorders Diagnosis Codes and Descriptions

Subject to Certification of Admission/Concurrent/Continued Stay Review Based on the Admitting Diagnosis Code

This list contains principal diagnosis codes for medical services Category of Service 20 or psychiatric services Category of Service 21. If a code from this list is used as the principal diagnosis code, general care hospitals that are not enrolled for COS 21 may only bill for a maximum of three days of emergency psychiatric care using COS 20.

All codes are subject to 60-day detox readmission review **except** for those identified with an asterisk.

Code	Beginning Review Date	Description
F01.50	10/01/2015	Vascular dementia w/o behavioral disturbance
F01.51	10/01/2015	Vascular dementia w/ behavioral disturbance
F03.90	10/01/2015	Unspecified dementia w/o behavioral disturbance
F05	10/01/2015	Delirium due to known physiological condition
*F07.81	10/01/2015	Postconcussional syndrome
*F07.89	10/01/2015	Other personality and behavioral disorders due to known physiological condition
*F07.9	10/01/2015	Unspecified personality and behavioral disorder due to known physiological condition
*F09	10/01/2015	Unspecified mental disorder due to known physiological condition
*F10.10	10/01/2015	Alcohol abuse, uncomplicated
*F10.120	10/01/2015	Alcohol abuse with intoxication, uncomplicated
F10.121	10/01/2015	Alcohol abuse with intoxication delirium

*F10.129	10/01/2015	Alcohol abuse with intoxication, unspecified
F10.14	10/01/2015	Alcohol abuse w/ alcohol-induced mood disorder
F10.150	10/01/2015	Alcohol abuse w/ alcohol-induced psychotic disorder w/ delusions
F10.151	10/01/2015	Alcohol abuse w/ alcohol-induced psychotic disorder w/ hallucinations
F10.159	10/01/2015	Alcohol abuse w/ unspecified alcohol-induced disorder
F10.180	10/01/2015	Alcohol abuse w/ alcohol-induced anxiety disorder
F10.181	10/01/2015	Alcohol abuse w/ alcohol-induced sexual dysfunction
F10.182	10/01/2015	Alcohol abuse w/ alcohol-induced sleep disorder
F10.188	10/01/2015	Alcohol abuse w/ other alcohol-induced disorder
F10.19	10/01/2015	Alcohol abuse w/ unspecified alcohol-induced disorder
*F10.20	10/01/2015	Alcohol dependence, uncomplicated
*F10.21	10/01/2015	Alcohol dependence, in remission
*F10.220	10/01/2015	Alcohol dependence with intoxication, uncomplicated
F10.221	10/01/2015	Alcohol dependence with intoxication delirium
*F10.229	10/01/2015	Alcohol dependence w/ intoxication, unspecified
F10.230	10/01/2015	Alcohol dependence w/ withdrawal, uncomplicated
F10.231	10/01/2015	Alcohol dependence w/ withdrawal delirium
F10.232	10/01/2015	Alcohol dependence w/ withdrawal w/ perceptual disturbance
F10.239	10/01/2015	Alcohol dependence w/ withdrawal, unspecified
F10.24	10/01/2015	Alcohol dependence w/ alcohol-induced mood disorder
F10.250	10/01/2015	Alcohol dependence w/ alcohol-induced psychotic disorder w/ delusions
F10.251	10/01/2015	Alcohol dependence w/ alcohol-induced psychotic disorder w/ hallucinations
F10.259	10/01/2015	Alcohol dependence w/ alcohol-induced psychotic disorder, unspecified
F10.26	10/01/2015	Alcohol dependence w/ alcohol-induced persisting amnestic disorder
F10.27	10/01/2015	Alcohol dependence w/ alcohol-induced persisting dementia
F10.280	10/01/2015	Alcohol dependence w/ alcohol-induced anxiety disorder
F10.281	10/01/2015	Alcohol dependence w/ alcohol-induced sexual dysfunction
F10.282	10/01/2015	Alcohol dependence w/ alcohol-induced sleep disorder
F10.288	10/01/2015	Alcohol dependence w/ other alcohol-induced disorder
F10.29	10/01/2015	Alcohol dependence w/ unspecified alcohol-induced disorder
F10.920	10/01/2015	Alcohol use, unspecified with intoxication, uncomplicated
F10.921	10/01/2015	Alcohol use, unspecified with intoxication delirium
F10.929	10/01/2015	Alcohol use, unspecified w/ intoxication, unspecified
F10.94	10/01/2015	Alcohol use, unspecified with alcohol-induced mood disorder
F10.950	10/01/2015	Alcohol use, unspecified w/ alcohol-induced psychotic disorder w/ delusions
F10.951	10/01/2015	Alcohol use, unspecified w/ alcohol-induced psychotic disorder w/ hallucinations
F10.959	10/01/2015	Alcohol use, unspecified w/ alcohol-induced psychotic disorder, unspecified
F10.96	10/01/2015	Alcohol use, unspecified w/ alcohol-induced persisting amnestic disorder
F10.97	10/01/2015	Alcohol use, unsp with alcohol-induced persisting dementia (Alcohol use, unspecified with alcohol-induced persisting dementia)
F10.980	10/01/2015	Alcohol use, unspecified w/ alcohol-induced anxiety disorder
F10.981	10/01/2015	Alcohol use, unspecified w/ alcohol-induced sexual dysfunction
F10.982	10/01/2015	Alcohol use, unspecified w/ alcohol-induced sleep disorder
F10.988	10/01/2015	Alcohol use, unspecified w/ other alcohol-induced disorder
F10.99	10/01/2015	Alcohol use, unspecified w/ unspecified alcohol-induced disorder
*F11.10	10/01/2015	Opioid abuse, uncomplicated

*F11.120	10/01/2015	Opioid abuse with intoxication, uncomplicated
F11.121	10/01/2015	Opioid abuse w/ intoxication delirium
F11.122	10/01/2015	Opioid abuse with intoxication with perceptual disturbance
*F11.129	10/01/2015	Opioid abuse with intoxication, unspecified
F11.14	10/01/2015	Opioid abuse w/ opioid-induced mood disorder
F11.150	10/01/2015	Opioid abuse w/ opioid-induced psychotic disorder w/ delusions
F11.151	10/01/2015	Opioid abuse w/ opioid-induced psychotic disorder w/ hallucinations
F11.159	10/01/2015	Opioid abuse w/ opioid-induced psychotic disorder, unspecified
F11.181	10/01/2015	Opioid abuse with opioid-induced sexual dysfunction
F11.182	10/01/2015	Opioid abuse w/ opioid-induced sleep disorder
F11.188	10/01/2015	Opioid abuse with other opioid-induced disorder
F11.19	10/01/2015	Opioid abuse with unspecified opioid-induced disorder
F11.20	10/01/2015	Opioid dependence, uncomplicated
*F11.21	10/01/2015	Opioid dependence, in remission
F11.220	10/01/2015	Opioid dependence with intoxication, uncomplicated
F11.221	10/01/2015	Opioid dependence with intoxication delirium
F11.222	10/01/2015	Opioid dependence with intoxication with perceptual disturbance
F11.229	10/01/2015	Opioid dependence with intoxication, unspecified
F11.23	10/01/2015	Opioid dependence with withdrawal
F11.24	10/01/2015	Opioid dependence with opioid-induced mood disorder
F11.250	10/01/2015	Opioid dependence with opioid-induced psychotic disorder with delusions
F11.251	10/01/2015	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11.259	10/01/2015	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11.281	10/01/2015	Opioid dependence with opioid-induced sexual dysfunction
F11.282	10/01/2015	Opioid dependence w/ opioid-induced sleep disorder
F11.288	10/01/2015	Opioid dependence with other opioid-induced disorder
F11.29	10/01/2015	Opioid dependence with unspecified opioid-induced disorder
*F11.90	10/01/2015	Opioid use, unspecified, uncomplicated
F11.920	10/01/2015	Opioid use, unspecified w/ intoxication, uncomplicated
F11.921	10/01/2015	Opioid use, unspecified w/ intoxication delirium
F11.922	10/01/2015	Opioid use, unspecified with intoxication with perceptual disturbance
F11.929	10/01/2015	Opioid use, unspecified w/ intoxication, unspecified
F11.93	10/01/2015	Opioid use, unspecified w/ withdrawal
F11.94	10/01/2015	Opioid use, unspecified w/ opioid-induced mood disorder
F11.950	10/01/2015	Opioid use, unsp w opioid-induc psych disorder w delusions (Opioid use, unspecified with opioid-induced psychotic disorder with delusions)
F11.951	10/01/2015	Oth psychoactv sub use, unsp w psych disorder w hallucin (Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with hallucinations)
F11.959	10/01/2015	Opioid use, unspecified with opioid-induced psychotic disorder, unspecified
F11.981	10/01/2015	Opioid use, unspecified with opioid-induced sexual dysfunction
F11.982	10/01/2015	Opioid use, unspecified w/ opioid-induced sleep disorder
F11.988	10/01/2015	Opioid use, unspecified with other opioid-induced disorder
F11.99	10/01/2015	Opioid use, unsp with unspecified opioid-induced disorder (Opioid use, unspecified with unspecified opioid-induced disorder)
*F12.10	10/01/2015	Cannabis abuse, uncomplicated

F12.120	10/01/2015	Cannabis abuse w/ intoxication, uncomplicated
F12.121	10/01/2015	Cannabis abuse w/ intoxication delirium
F12.122	10/01/2015	Cannabis abuse with intoxication with perceptual disturbance
F12.129	10/01/2015	Cannabis abuse w/ intoxication, unspecified
F12.150	10/01/2015	Cannabis abuse w/ psychotic disorder w/ delusions
F12.151	10/01/2015	Cannabis abuse w/ psychotic disorder w/ hallucinations
F12.159	10/01/2015	Cannabis abuse with psychotic disorder, unspecified
F12.180	10/01/2015	Cannabis abuse with cannabis-induced anxiety disorder
F12.188	10/01/2015	Cannabis abuse with other cannabis-induced disorder
F12.19	10/01/2015	Cannabis abuse with unspecified cannabis-induced disorder
*F12.20	10/01/2015	Cannabis dependence, uncomplicated
*F12.21	10/01/2015	Cannabis dependence, in remission
F12.220	10/01/2015	Cannabis dependence with intoxication, uncomplicated
F12.221	10/01/2015	Cannabis dependence with intoxication delirium
F12.222	10/01/2015	Cannabis dependence with intoxication with perceptual disturbance
F12.229	10/01/2015	Cannabis dependence with intoxication, unspecified
F12.250	10/01/2015	Cannabis dependence with psychotic disorder with delusions
F12.251	10/01/2015	Cannabis dependence with psychotic disorder with hallucinations
F12.259	10/01/2015	Cannabis dependence with psychotic disorder, unspecified
F12.280	10/01/2015	Cannabis dependence with cannabis-induced anxiety disorder
F12.288	10/01/2015	Cannabis dependence with other cannabis-induced disorder
F12.29	10/01/2015	Cannabis dependence with unspecified cannabis-induced disorder
*F12.90	10/01/2015	Cannabis use, unspecified, uncomplicated
F12.920	10/01/2015	Cannabis use, unspecified w/ intoxication, uncomplicated
F12.921	10/01/2015	Cannabis use, unspecified w/ intoxication delirium
F12.922	10/01/2015	Cannabis use, unspecified with intoxication with perceptual disturbance
F12.929	10/01/2015	Cannabis use, unspecified w/ intoxication, unspecified
F12.950	10/01/2015	Cannabis use, unspecified w/ psychotic disorder w/ delusions
F12.951	10/01/2015	Cannabis use, unspecified w/ psychotic disorder w/ hallucinations
F12.959	10/01/2015	Cannabis use, unspecified with psychotic disorder, unspecified
F12.980	10/01/2015	Cannabis use, unspecified with anxiety disorder
F12.988	10/01/2015	Cannabis use, unspecified with other cannabis-induced disorder
F12.99	10/01/2015	Cannabis use, unsp with unsp cannabis-induced disorder (Cannabis use, unspecified with unspecified cannabis-induced disorder)
*F13.10	10/01/2015	Sedative, hypnotic or anxiolytic abuse, uncomplicated
*F13.120	10/01/2015	Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated
F13.121	10/01/2015	Sedative, hypnotic or anxiolytic abuse w/ intoxication delirium
F13.129	10/01/2015	Sedative, hypnotic or anxiolytic abuse w intoxication, unsp (Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified)
F13.14	10/01/2015	Sedative, hypnotic or anxiolytic abuse w/ sedative, hypnotic or anxiolytic-induced mood disorder
F13.150	10/01/2015	Sedative, hypnotic or anxiolytic abuse w/ sedative, hypnotic or anxiolytic-induced psychotic disorder w/ delusions
F13.151	10/01/2015	Sedative, hypnotic or anxiolytic abuse w/ sedative, hypnotic or anxiolytic-induced psychotic disorder w/ hallucinations
F13.159	10/01/2015	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-

		induced psychotic disorder, unspecified
F13.180	10/01/2015	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder
F13.181	10/01/2015	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sexual dysfunction
F13.182	10/01/2015	Sedative, hypnotic or anxiolytic abuse w/ sedative, hypnotic or anxiolytic-induced sleep disorder
F13.188	10/01/2015	Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder
F13.19	10/01/2015	Sedative, hypnotic or anxiolytic abuse w unsp disorder (Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder)
*F13.20	10/01/2015	Sedative, hypnotic or anxiolytic dependence, uncomplicated
*F13.21	10/01/2015	Sedative, hypnotic or anxiolytic dependence, in remission
F13.220	10/01/2015	Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated
F13.221	10/01/2015	Sedative, hypnotic or anxiolytic dependence with intoxication delirium
F13.229	10/01/2015	Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified
F13.230	10/01/2015	Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated
F13.231	10/01/2015	Sedative, hypnotic or anxiolytic dependence with withdrawal delirium
F13.232	10/01/2015	Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance
F13.239	10/01/2015	Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified
F13.24	10/01/2015	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder
F13.250	10/01/2015	Sedative, hypnotic or anxiolytic dependence w/ sedative, hypnotic or anxiolytic-induced psychotic disorder w/ delusions
F13.251	10/01/2015	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations
F13.259	10/01/2015	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified
F13.26	10/01/2015	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder
F13.27	10/01/2015	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia
F13.280	10/01/2015	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder
F13.281	10/01/2015	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction
F13.282	10/01/2015	Sedative, hypnotic or anxiolytic dependence w/ sedative, hypnotic or anxiolytic-induced sleep disorder
F13.288	10/01/2015	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder
F13.29	10/01/2015	Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder
*F13.90	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified, uncomplicated
F13.920	10/01/2015	Sedative/hyp/anxiolytic use, unsp w intoxication, uncomplicated (Sedative, hypnotic or anxiolytic use, unspecified with intoxication, uncomplicated)

F13.921	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified w/ intoxication delirium
F13.929	10/01/2015	Sedative/hyp/anxiolytic use, unsp w intoxication, unsp (Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified)
F13.930	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified w/ withdrawal, uncomplicated
F13.931	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified w/ withdrawal delirium
F13.932	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified w/ withdrawal w/ perceptual disturbances
F13.939	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified w/ withdrawal, unspecified
F13.94	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified w/ sedative, hypnotic or anxiolytic-induced mood disorder
F13.950	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified w/ sedative, hypnotic or anxiolytic-induced psychotic disorder w/ delusions
F13.951	10/01/2015	Sedative, hypnotic or anxiolytic use unspecified w/ sedative, hypnotic or anxiolytic-induced psychotic disorder w/ hallucinations
F13.959	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified
F13.96	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified w/ sedative, hypnotic or anxiolytic-induced persisting amnesic disorder
F13.97	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified w/ sedative, hypnotic or anxiolytic-induced persisting dementia
F13.980	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder
F13.981	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sexual dysfunction
F13.982	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified w/ sedative, hypnotic or anxiolytic-induced sleep disorder
F13.988	10/01/2015	Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder
F13.99	10/01/2015	Sedative, hypnotic or anxiolytic use, unsp w unsp disorder (Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced disorder)
*F14.10	10/01/2015	Cocaine abuse, uncomplicated
*F14.120	10/01/2015	Cocaine abuse with intoxication, uncomplicated
F14.121	10/01/2015	Cocaine abuse w/ intoxication w/ delirium
F14.122	10/01/2015	Cocaine abuse with intoxication with perceptual disturbance
F14.129	10/01/2015	Cocaine abuse with intoxication, unspecified
F14.14	10/01/2015	Cocaine abuse w/ cocaine-induced mood disorder
F14.150	10/01/2015	Cocaine abuse w/ cocaine-induced psychotic disorder w/ delusions
F14.151	10/01/2015	cocaine abuse w/ cocaine-induced psychotic disorder w/ hallucinations
F14.159	10/01/2015	Cocaine abuse with cocaine-induced psychotic disorder, unspecified
F14.180	10/01/2015	Cocaine abuse with cocaine-induced anxiety disorder
F14.181	10/01/2015	Cocaine abuse with cocaine-induced sexual dysfunction
F14.182	10/01/2015	Cocaine abuse w/ cocaine-induced sleep disorder
F14.188	10/01/2015	Cocaine abuse with other cocaine-induced disorder
F14.19	10/01/2015	Cocaine abuse with unspecified cocaine-induced disorder
F14.20	10/01/2015	Cocaine dependence, uncomplicated

*F14.21	10/01/2015	Cocaine dependence, in remission
F14.220	10/01/2015	Cocaine dependence with intoxication, uncomplicated
F14.221	10/01/2015	Cocaine dependence with intoxication delirium
F14.222	10/01/2015	Cocaine dependence with intoxication with perceptual disturbance
F14.229	10/01/2015	Cocaine dependence with intoxication, unspecified
F14.23	10/01/2015	Cocaine dependence with withdrawal
F14.24	10/01/2015	Cocaine dependence with cocaine-induced mood disorder
F14.250	10/01/2015	Cocaine dependence with cocaine-induced psychotic disorder with delusions
F14.251	10/01/2015	Cocaine dependence with cocaine-induced psychotic disorder with hallucinations
F14.259	10/01/2015	Cocaine dependence with cocaine-induced psychotic disorder, unspecified
F14.280	10/01/2015	Cocaine dependence with cocaine-induced anxiety disorder
F14.281	10/01/2015	Cocaine dependence with cocaine-induced sexual dysfunction
F14.282	10/01/2015	Cocaine dependence w/ cocaine-induced sleep disorder
F14.288	10/01/2015	Cocaine dependence with other cocaine-induced disorder
F14.29	10/01/2015	Cocaine dependence with unspecified cocaine-induced disorder
*F14.90	10/01/2015	Cocaine use, unspecified, uncomplicated
F14.920	10/01/2015	Cocaine use, unspecified with intoxication, uncomplicated
F14.921	10/01/2015	Cocaine use, unspecified w/ intoxication delirium
F14.922	10/01/2015	Cocaine use, unspecified with intoxication with perceptual disturbance
F14.929	10/01/2015	Cocaine use, unspecified with intoxication, unspecified
F14.94	10/01/2015	Cocaine use, unspecified w/ cocaine-induced mood disorder
F14.950	10/01/2015	Cocaine use, unspecified w/ cocaine-induced psychotic disorder w/ delusions
F14.951	10/01/2015	Cocaine use, unspecified w/ cocaine-induced psychotic disorder w/ hallucinations
F14.959	10/01/2015	Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified
F14.980	10/01/2015	Cocaine use, unspecified with cocaine-induced anxiety disorder
F14.981	10/01/2015	Cocaine use, unspecified with cocaine-induced sexual dysfunction
F14.982	10/01/2015	Cocaine use, unspecified w/ cocaine-induced sleep disorder
F14.988	10/01/2015	Cocaine use, unspecified with other cocaine-induced disorder
F14.99	10/01/2015	Cocaine use, unsp with unspecified cocaine-induced disorder (Cocaine use, unspecified with unspecified cocaine-induced disorder)
*F15.10	10/01/2015	Other stimulant abuse, uncomplicated
F15.120	10/01/2015	Other stimulant abuse with intoxication, uncomplicated
F15.121	10/01/2015	Other stimulant use, unspecified with intoxication delirium
F15.122	10/01/2015	Other stimulant abuse with intoxication with perceptual disturbance
F15.129	10/01/2015	Other stimulant abuse with intoxication, unspecified
F15.14	10/01/2015	Other stimulant abuse w/ stimulant-induced mood disorder
F15.150	10/01/2015	Other stimulant abuse w/ stimulant-induced psychotic disorder w/ delusions
F15.151	10/01/2015	Oth stimulant abuse w stim-induce psych disorder w hallucin (Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations)
F15.159	10/01/2015	Other stimulant abuse with stimulant-induced psychotic disorder, unspecified
F15.180	10/01/2015	Other stimulant abuse with stimulant-induced anxiety disorder
F15.181	10/01/2015	Other stimulant abuse with stimulant-induced sexual dysfunction
F15.182	10/01/2015	Other stimulant abuse w/ stimulant-induced sleep disorder
F15.188	10/01/2015	Other stimulant abuse with other stimulant-induced disorder
F15.19	10/01/2015	Other stimulant abuse with unsp stimulant-induced disorder (Other stimulant abuse with unspecified stimulant-induced disorder)

*F15.20	10/01/2015	Other stimulant dependence, uncomplicated
*F15.21	10/01/2015	Other stimulant dependence, in remission
F15.222	10/01/2015	Other stimulant dependence with intoxication with perceptual disturbance
F15.259	10/01/2015	Other stimulant dependence with stimulant-induced psychotic disorder, unspecified
F15.280	10/01/2015	Other stimulant dependence with stimulant-induced anxiety disorder
F15.281	10/01/2015	Other stimulant dependence with stimulant-induced sexual dysfunction
F15.282	10/01/2015	Other stimulant dependence w/ stimulant-induced sleep disorder
F15.288	10/01/2015	Other stimulant dependence with other stimulant-induced disorder
*F15.90	10/01/2015	Other stimulant use, unspecified, uncomplicated
F15.920	10/01/2015	Other stimulant use, unsp with intoxication, uncomplicated (Other stimulant use, unspecified with intoxication, uncomplicated)
F15.921	10/01/2015	Other stimulant use, unspecified w/ intoxication delirium
F15.922	10/01/2015	Other stimulant use, unspecified with intoxication with perceptual disturbance
F15.929	10/01/2015	Other stimulant use, unsp with intoxication, unspecified (Other stimulant use, unspecified with intoxication, unspecified)
F15.93	10/01/2015	Other stimulant use, unspecified w/ withdrawal
F15.94	10/01/2015	Other stimulant use, unspecified w/ stimulant-induced mood disorder
F15.950	10/01/2015	Other stimulant use, unspecified w/ stimulant-induced psychotic disorder w/ delusions
F15.951	10/01/2015	Oth stim use, unsp w stim-induce psych disorder w hallucin (Other stimulant use, unspecified with stimulant-induced psychotic disorder with hallucinations)
F15.959	10/01/2015	Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified
F15.980	10/01/2015	Other stimulant use, unspecified with stimulant-induced anxiety disorder
F15.981	10/01/2015	Other stimulant use, unspecified with stimulant-induced sexual dysfunction
F15.982	10/01/2015	Other stimulant use, unspecified w/ stimulant-induced sleep disorder
F15.988	10/01/2015	Other stimulant use, unspecified with other stimulant-induced disorder
F15.99	10/01/2015	Oth stimulant use, unsp with unsp stimulant-induced disorder (Other stimulant use, unspecified with unspecified stimulant-induced disorder)
*F16.10	10/01/2015	Hallucinogen abuse, uncomplicated
F16.120	10/01/2015	Hallucinogen abuse with intoxication, uncomplicated
F16.121	10/01/2015	Hallucinogen abuse w/ intoxication w/ delirium
F16.122	10/01/2015	Hallucinogen abuse with intoxication with perceptual disturbance
F16.129	10/01/2015	Hallucinogen abuse with intoxication, unspecified
F16.14	10/01/2015	Hallucinogen abuse w/ hallucinogen-induced mood disorder
F16.150	10/01/2015	Hallucinogen abuse w/ hallucinogen-induced psychotic disorder w/ delusions
F16.151	10/01/2015	Hallucinogen abuse w/ hallucinogen-induced psychotic disorder w/ hallucinations
F16.159	10/01/2015	Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified
F16.180	10/01/2015	Hallucinogen abuse with hallucinogen-induced anxiety disorder
F16.183	10/01/2015	Hallucinogen abuse with hallucinogen persisting perception disorder
F16.188	10/01/2015	Hallucinogen abuse with other hallucinogen-induced disorder
F16.19	10/01/2015	Hallucinogen abuse with unsp hallucinogen-induced disorder (Hallucinogen abuse with unspecified hallucinogen-induced disorder)
F16.20	10/01/2015	Hallucinogen dependence, uncomplicated
*F16.21	10/01/2015	Hallucinogen dependence, in remission

F16.220	10/01/2015	Hallucinogen dependence with intoxication, uncomplicated
F16.221	10/01/2015	Hallucinogen dependence w/ intoxication w/ delirium
F16.229	10/01/2015	Hallucinogen dependence with intoxication, unspecified
F16.24	10/01/2015	Hallucinogen dependence w/ hallucinogen-induced mood disorder
F16.250	10/01/2015	Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions
F16.251	10/01/2015	Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations
F16.259	10/01/2015	Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified
F16.280	10/01/2015	Hallucinogen dependence with hallucinogen-induced anxiety disorder
F16.283	10/01/2015	Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks)
F16.288	10/01/2015	Hallucinogen dependence with other hallucinogen-induced disorder
F16.29	10/01/2015	Hallucinogen dependence with unspecified hallucinogen-induced disorder
*F16.90	10/01/2015	Hallucinogen use, unspecified, uncomplicated
F16.920	10/01/2015	Hallucinogen use, unsp with intoxication, uncomplicated (Hallucinogen use, unspecified with intoxication, uncomplicated)
F16.921	10/01/2015	Hallucinogen use, unspecified w/ intoxication w/ delirium
F16.929	10/01/2015	Hallucinogen use, unspecified with intoxication, unspecified
F16.94	10/01/2015	Hallucinogen use, unspecified w/ hallucinogen-induced mood disorder
F16.950	10/01/2015	Hallucinogen use, unspecified w/ hallucinogen-induced psychotic disorder w/ delusions
F16.951	10/01/2015	Hallucinogen use, unspecified w/ hallucinogen-induced psychotic disorder w/ hallucinations
F16.959	10/01/2015	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder
F16.980	10/01/2015	Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder
F16.983	10/01/2015	Hallucinogen use, unspecified with hallucinogen persisting perception disorder
F16.988	10/01/2015	Hallucinogen use, unspecified with other hallucinogen-induced disorder
F16.99	10/01/2015	Hallucinogen use, unsp w unsp hallucinogen-induced disorder (Hallucinogen use, unspecified with unspecified hallucinogen-induced disorder)
F17.203	10/01/2015	Nicotine dependence unspecified, w/ withdrawal
F17.208	10/01/2015	Nicotine dependence, unspecified, with other nicotine-induced disorders
F17.209	10/01/2015	Nicotine dependence, unsp, w unsp nicotine-induced disorders (Nicotine dependence, unspecified, with unspecified nicotine-induced disorders)
F17.213	10/01/2015	Nicotine dependence, cigarettes, w/ withdrawal
F17.218	10/01/2015	Nicotine dependence, other tobacco product, with other nicotine-induced disorders
F17.219	10/01/2015	Nicotine dependence, cigarettes, w unsp disorders (Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders)
F17.223	10/01/2015	Nicotine dependence , chewing tobacco, w/ withdrawal
F17.228	10/01/2015	Inhalant abuse with inhalant-induced psychotic disorder, unspecified
F17.229	10/01/2015	Nicotine dependence, chewing tobacco, w unsp disorders (Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders)
F17.293	10/01/2015	Nicotine dependence, other tobacco product, w/ withdrawal
F17.298	10/01/2015	Inhalant abuse with inhalant-induced anxiety disorder
F17.299	10/01/2015	Nicotine dependence, oth tobacco product, w unsp disorders (Nicotine

		dependence, other tobacco product, with unspecified nicotine-induced disorders)
*F18.10	10/01/2015	Inhalant abuse, uncomplicated
F18.120	10/01/2015	Inhalant abuse with intoxication, uncomplicated
F18.121	10/01/2015	Inhalant abuse with intoxication delirium
F18.129	10/01/2015	Inhalant abuse with intoxication, unspecified
F18.14	10/01/2015	Inhalant abuse w/ inhalant-induced mood disorder
F18.150	10/01/2015	Inhalant abuse w/ inhalant-induced psychotic disorder w/ delusions
F18.151	10/01/2015	Inhalant abuse w/ inhalant-induced psychotic disorder w/ hallucinations
F18.159	10/01/2015	Inhalant abuse with inhalant-induced psychotic disorder, unspecified
F18.17	10/01/2015	Inhalant abuse with inhalant-induced dementia
F18.180	10/01/2015	Inhalant dependence with inhalant-induced anxiety disorder
*F18.188	10/01/2015	Inhalant abuse with other inhalant-induced disorder
F18.19	10/01/2015	Inhalant abuse with unspecified inhalant-induced disorder
*F18.20	10/01/2015	Inhalant dependence, uncomplicated
*F18.21	10/01/2015	Inhalant dependence, in remission
F18.220	10/01/2015	Inhalant dependence with intoxication, uncomplicated
F18.221	10/01/2015	Inhalant dependence with intoxication delirium
F18.229	10/01/2015	Other psychoactive substance dependence with intoxication, unspecified
F18.24	10/01/2015	Inhalant dependence with inhalant-induced mood disorder
F18.250	10/01/2015	Inhalant dependence with inhalant-induced psychotic disorder with delusions
F18.251	10/01/2015	Inhalant dependence with inhalant-induced psychotic disorder with hallucinations
F18.259	10/01/2015	Inhalant dependence with inhalant-induced psychotic disorder, unspecified
F18.27	10/01/2015	Inhalant dependence with inhalant-induced dementia
F18.280	10/01/2015	Inhalant dependence with inhalant-induced anxiety disorder
F18.288	10/01/2015	Inhalant dependence with other inhalant-induced disorder
F18.29	10/01/2015	Inhalant dependence with unspecified inhalant-induced disorder
F18.90	10/01/2015	Inhalant use, unspecified, uncomplicated
F18.920	10/01/2015	Inhalant use, unspecified with intoxication, uncomplicated
F18.921	10/01/2015	Inhalant use, unspecified w/ intoxication w/ delirium
F18.929	10/01/2015	Inhalant use, unspecified with intoxication, unspecified
F18.94	10/01/2015	Inhalant use, unspecified w/ inhalant-induced mood disorder
F18.950	10/01/2015	Inhalant use, unspecified w/ inhalant-induced psychotic disorder w/ delusions
F18.951	10/01/2015	Inhalant use, unspecified w/ inhalant-induced psychotic disorder w/ hallucinations
F18.959	10/01/2015	Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified
F18.97	10/01/2015	Inhalant use, unsp with inhalant-induced persisting dementia (Inhalant use, unspecified with inhalant-induced persisting dementia)
F18.980	10/01/2015	Inhalant use, unspecified with inhalant-induced anxiety disorder
F18.988	10/01/2015	Inhalant use, unspecified with other inhalant-induced disorder
F18.99	10/01/2015	Inhalant use, unsp with unsp inhalant-induced disorder (Inhalant use, unspecified with unspecified inhalant-induced disorder)
*F19.10	10/01/2015	Other psychoactive substance abuse, uncomplicated
F19.120	10/01/2015	Other psychoactive substance abuse with intoxication, uncomplicated
F19.121	10/01/2015	Other psychoactive substance abuse w/ intoxication delirium
F19.122	10/01/2015	Other psychoactive substance abuse with intoxication with perceptual disturbances
F19.129	10/01/2015	Other psychoactive substance abuse with intoxication, unspecified
F19.14	10/01/2015	Other psychoactive substance abuse w/ psychoactive substance-induced mood

		disorder
F19.150	10/01/2015	Oth psychoactv substance abuse w psych disorder w delusions (Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions)
F19.151	10/01/2015	Other psychoactive substance abuse w/ psychoactive substance-induced psychotic disorder w/ hallucinations
F19.159	10/01/2015	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified
F19.16	10/01/2015	Other psychoactive substance abuse w/ psychoactive substance-induced persisting amnestic disorder
F19.17	10/01/2015	Other psychoactive substance abuse w/ psychoactive substance-induced persisting dementia
F19.180	10/01/2015	Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder
F19.181	10/01/2015	Other psychoactive substance abuse with psychoactive substance-induced sexual dysfunction
F19.182	10/01/2015	Other psychoactive substance abuse w/ psychoactive substance-induced sleep disorder
F19.188	10/01/2015	Other psychoactive substance abuse with other psychoactive substance
F19.19	10/01/2015	Oth psychoactive substance abuse w unsp disorder (Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder)
*F19.20	10/01/2015	Other psychoactive substance dependence, uncomplicated
*F19.21	10/01/2015	Other psychoactive substance dependence, in remission
F19.220	10/01/2015	Other psychoactive substance dependence with intoxication, uncomplicated
*F19.221	10/01/2015	(Other psychoactive substance dependence with intoxication delirium
F19.222	10/01/2015	Other psychoactive substance dependence with intoxication with perceptual disturbance
F19.229	10/01/2015	Other psychoactive substance dependence with intoxication, unspecified
F19.230	10/01/2015	Other psychoactive substance dependence with withdrawal, uncomplicated
F19.231	10/01/2015	Other psychoactive substance dependence with withdrawal delirium
F19.232	10/01/2015	Other psychoactive substance dependence with withdrawal with perceptual disturbance
F19.239	10/01/2015	Other psychoactive substance dependence with withdrawal, unspecified
F19.24	10/01/2015	Other psychoactive substance dependence with psychoactive substance-induced mood disorder
F19.250	10/01/2015	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions
F19.251	10/01/2015	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations
F19.259	10/01/2015	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified
F19.26	10/01/2015	Other psychoactive substance dependence with psychoactive substance-induced persisting amnestic disorder
F19.27	10/01/2015	Other psychoactive substance dependence with psychoactive substance-induced persisting dementia
F19.280	10/01/2015	Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder

F19.281	10/01/2015	Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction
F19.282	10/01/2015	Other psychoactive substance dependence w/ psychoactive substance-induced sleep disorder
F19.288	10/01/2015	Other psychoactive substance dependence with other psychoactive substance-induced disorder
*F19.90	10/01/2015	Other psychoactive substance use, unspecified, uncomplicated
F19.920	10/01/2015	Other psychoactive substance use, unspecified with intoxication, uncomplicated
F19.921	10/01/2015	Oth psychoactive substance use, unsp w intox w delirium (Other psychoactive substance use, unspecified with intoxication with delirium)
F19.922	10/01/2015	Other psychoactive substance use, unspecified with intoxication with perceptual disturbance
F19.929	10/01/2015	Oth psychoactive substance use, unsp with intoxication, unsp (Other psychoactive substance use, unspecified with intoxication, unspecified)
F19.930	10/01/2015	Other psychoactive substance use, unspecified w/ withdrawal, uncomplicated
F19.931	10/01/2015	Other psychoactive substance use, unspecified w/ withdrawal delirium
F19.932	10/01/2015	Other psychoactive substance use, unspecified w/ withdrawal perceptual disturbance
F19.939	10/01/2015	Other psychoactive substance use, unspecified w/ withdrawal, unspecified
F19.94	10/01/2015	Other psychoactive substance use, unspecified w/ psychoactive substance-induced mood disorder
F19.950	10/01/2015	Oth psychoactv sub use, unsp w psych disorder w delusions (Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with delusions)
F19.951	10/01/2015	Opioid abuse w/ opioid-induced psychotic disorder w/ hallucinations
F19.959	10/01/2015	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, unspecified
F19.96	10/01/2015	Other psychoactive substance use, unspecified w/ psychoactive substance-induced persisting amnesic disorder
F19.97	10/01/2015	Other psychoactive substance use, unspecified w/ psychoactive substance-induced persisting dementia
F19.980	10/01/2015	Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder
F19.981	10/01/2015	Other psychoactive substance use, unspecified with psychoactive substance-induced sexual dysfunction
F19.982	10/01/2015	Other psychoactive substance use, unspecified w/ psychoactive substance-induced sleep disorder
F19.988	10/01/2015	Other psychoactive substance use, unspecified with other psychoactive substance-induced disorder
F19.99	10/01/2015	Other psychoactive substance use, unspecified with unspecified psychoactive substance-induced disorder
*F45.42	10/01/2015	Pain disorder with related psychological factors
*F48.2	10/01/2015	Pseudobulbar affect
*F50.00	10/01/2015	Anorexia nervosa, unspecified
*F50.01	10/01/2015	Anorexia nervosa, restricting type
*F50.02	10/01/2015	Anorexia nervosa, binge eating/purging type
*F50.2	10/01/2015	Bulimia nervosa

*F50.8	10/01/2015	Other eating disorders
*F52.5	10/01/2015	Vaginismus not due to a substance or known physiological condition
*F54	10/01/2015	Psychological and behavioral factors associated w/ disorders or diseases classified elsewhere
*F55.0	10/01/2015	Abuse of antacids
*F55.1	10/01/2015	Abuse of herbal or folk remedies
*F55.2	10/01/2015	Abuse of laxatives
*F55.3	10/01/2015	Abuse of steroids or hormones
*F55.4	10/01/2015	Abuse of vitamins
*F55.8	10/01/2015	Abuse of other non-psychoactive substances
*F59	10/01/2015	Unspecified behavioral syndromes associated with physiological disturbances and physical factors
*F98.21	10/01/2015	Rumination disorder of infancy
*F98.29	10/01/2015	Other feeding disorders of infancy and early childhood
*F98.3	10/01/2015	Pica of infancy and childhood
*G44.209	10/01/2015	Tension-type headache, unspecified
*R78.0	10/01/2015	Blood alcohol level of less than 20mg/100ml